



# Haryana Government Gazette

## EXTRAORDINARY

Published by Authority

© Govt. of Haryana

No. 66-2020/Ext.] CHANDIGARH, FRIDAY, MAY 15, 2020 (VAISAKHA 25, 1942 SAKA)

### हरियाणा सरकार

शहरी स्थानीय निकाय विभाग

### अधिसूचना

दिनांक 15 मई, 2020

**संख्या 3/1/2020-RIL.**— हरियाणा नगर निगम अधिनियम, 1994 (1994 का 16) की धारा 392 छ के खण्ड (16) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए तथा हरियाणा सरकार, शहरी स्थानीय निकाय विभाग, अधिसूचना संख्या 3/3/2019-आर-II, दिनांक 18 जुलाई, 2019, के प्रतिनिर्देश से, हरियाणा के राज्यपाल, इसके द्वारा, हरियाणा नगर निगम विज्ञापन (संशोधन) उप-विधियां, 2018 को आगे संशोधित करने के लिए, निम्नलिखित उप-विधियां बनाते हैं, अर्थात्:—

- ये उप-विधियां हरियाणा नगर निगम विज्ञापन (संशोधन) उप-विधियां, 2020, कही जा सकती हैं।
- हरियाणा नगर निगम विज्ञापन उप-विधियां, 2018 (जिन्हें, इसमें, इसके बाद, उक्त उप-विधियां कहा गया है) में, उप-विधि-2 में, खण्ड (1) में, उप-खण्ड (xxvii) के स्थान पर, निम्नलिखित उप-खण्ड प्रतिस्थापित किया जाएगा, अर्थात्:—

“(xxvii) **रास्ता अधिकार या (आर.ओ.डब्ल्यू.)** से अभिप्राय है,

- किसी राष्ट्रीय राजमार्ग की दशा में, राष्ट्रीय राजमार्ग का रखरखाव करने वाले प्राधिकरण के स्वामित्वाधीन भूमि की सीमा ;
  - किसी राष्ट्रीय राजमार्ग से भिन्न सड़क की और मुख्य परिवहन मार्ग से ठीक सटी सर्विस लेन वाली दशा में, सर्विस लेन तथा मुख्य परिवहन मार्ग की परिवहन मार्ग की सीमा ;
  - किसी राष्ट्रीय राजमार्ग से भिन्न और मुख्य परिवहन-मार्ग से ठीक सटी कोई सर्विस लेन नहीं होने की दशा में, मुख्य परिवहन मार्ग की परिवहन मार्ग सीमा ;”।
3. उक्त उप-विधियों में, अनुसूची-1 में, पैरा 2 में, उप-पैरा (4) में, मद (i) के स्थान पर, निम्नलिखित मद प्रतिस्थापित की जाएगी, अर्थात्:—

(i) **पार्श्वक मानदण्ड**

- पार्श्वक दूरी मानदण्ड अनुबन्ध-5 में वर्गीकरण ‘क’ में परिभाषित ओ.एम.डी. के सिवाए सभी प्रकार की ओ.एम.डी. पर लागू हैं ;
- राष्ट्रीय राजमार्ग तथा राज्य राजमार्ग की दशा में, पार्श्वक दूरी उप-विधि 2 के खण्ड (1) के उप-खण्ड (xxvii) में यथा परिभाषित आर.ओ.डब्ल्यू. के किनारे से मापी हुई 30 मीटर होगी तथा किसी भी मामले में ओ.एम.डी., राष्ट्रीय राजमार्ग के आर.ओ.डब्ल्यू. के भीतर अनुमत नहीं की जाएगी ;

- (ग) पंजाब अनुसूचित सड़क तथा नियन्त्रित क्षेत्र अनियमित विकास निर्बन्धन अधिनियम, 1963 (1963 का पंजाब अधिनियम 41) के अधीन सरकार द्वारा घोषित अनुसूचित सड़क की दशा में, पार्श्वक दूरी उप-विधि 2 के खण्ड (1) के उप-खण्ड (xxvii) में यथा परिभाषित आर.ओ.डब्ल्यू के किनारे से मापी जाएगी। अनुज्ञेय पार्श्वक दूरी या तो उपरोक्त मापे गए अनुसार सड़क के आर.ओ.डब्ल्यू की चौड़ाई का एक तिहाई या कम से कम 10 मीटर, जो भी अधिक हो, होगी;
- (घ) सेक्टर सड़कों, नगरपालिका सड़कों तथा अनुसूचित सड़कों से भिन्न की दशा में, पार्श्वक दूरी उप-विधि 2 के खण्ड (1) उप-खण्ड (xxvii) में यथा परिभाषित आर.ओ.डब्ल्यू के किनारे से मापी जाएगी। दूरी आर.ओ.डब्ल्यू की एक तिहाई या 10 मीटर, जो भी कम हो, होगी;
- (ङ) पार्श्वक दूरी मानदण्ड, इन उप-विधियों के अनुसार नगर निगम के अनुमोदन के अधधीन सार्वजनिक शौचालयों, बस अड्डों, टोल प्लाजा के निकट स्थित टोल प्लाजा संरचना पर ओ.एम.डी. को लागू नहीं होंगे;
- (च) किसी भी दशा में, ओ.एम.डी को आर.ओ.डब्ल्यू के भीतर स्थापित करने की अनुमति नहीं दी जाएगी;
- (छ) यदि नगर पालिका सड़क का आर.ओ.डब्ल्यू 20 मीटर से कम है, तो ओ.एम.डी. परिवहन मार्ग के समानान्तर आर.ओ.डब्ल्यू के किनारे पर लगाया जाएगा तथा इसका आकार 4.6 x 3.05 मीटर तक निर्बन्धित है।”

एस० एन० राय,  
अपर मुख्य सचिव, हरियाणा सरकार,  
शहरी स्थानीय निकाय विभाग।

**HARYANA GOVERNMENT**  
**URBAN LOCAL BODIES DEPARTMENT**

**Notification**

The 15th May, 2020

**No. 3/1/2020-RII.**— In exercise of the powers conferred by clause (16) of Section 392 G of the Haryana Municipal Corporation Act, 1994 (16 of 1994) and with reference to Haryana Government, Urban Local Bodies Department, notification No. 3/3/2019- R II, dated the 18th July, 2019, the Governor of Haryana hereby makes the following bye-laws, further to amend the Haryana Municipal Corporation Advertisement Bye-laws, 2018, namely:-

1. These bye-laws may be called the Haryana Municipal Corporation Advertisement (Amendment) Bye-laws, 2020.
2. In the Haryana Municipal Corporation Advertisement Bye-laws, 2018 (hereinafter called the said bye-laws), in bye-law-2, in clause (1), for item (xxvii), the following items shall be substituted, namely:-

“(xxvii) **Right of Way or (RoW)**” means –

- (a). in case of a National Highway, the extent of land owned by the authority maintaining the National Highway;
- (b). in case of a road other than a National Highway and having service lanes immediately abutting the main carriageway, the carriageway limit of the service lanes and the main carriageway;
- (c). in case of a road other than a National Highway and not having any service lane immediately abutting the main carriageway, the carriageway limit of the main carriageway.”

3. In the said bye-laws, in Schedule-I, in clause 2, in sub-clause (4) (i), for item (i), the following item shall be substituted, namely:-

“(i) **Lateral Criteria**

- (a) the lateral distance criteria are applicable to all type of OMDs, except OMDs defined under Typology “A” in Annexure-5.
- (b) in case of National Highways and State Highways the lateral distance shall be 30 metres measured from the edge of the ROW as defined in item (xxvii) of clause (1) of bye-law 2; and in no case OMDs, shall be permitted within ROW of the National Highway.
- (c) in case of scheduled roads declared by the Government under the Punjab Scheduled Roads and Controlled Areas Restriction of Unregulated Development Act, 1963 (Punjab Act 41 of 1963), the lateral distance shall be measured from the edge of the ROW as defined in item (xxiii) of clause (1) of bye-law 2. The permissible lateral distance shall be either 1/3rd of the width of the ROW of the road as measured above or minimum 10 metres, whichever is greater.

- (d) in case of sector roads, municipal roads and roads other than scheduled roads, the lateral distance shall be measured from the edge of the ROW as defined in item (xxvii) of clause (1) of bye-law 2. The distance shall be 1/3rd of the ROW or 10 metres, whichever is lesser.
- (e) the lateral distance criteria shall not apply to OMDs on public toilets, Bus stops, toll plaza structures located near toll plaza, subject to approval of the Municipal Corporation in accordance with these bye-laws.
- (f) in no case, the OMD shall be allowed to install within the ROW.
- (g) in case the ROW of municipal road is less than 20 metres, OMD shall be installed at edge of ROW parallel to carriageway and its size is restricted to 4.6 x 3.05 metres”.

S. N. ROY,  
Additional Chief Secretary to Government Haryana,  
Urban Local Bodies Department.